





Index

4	Products
	Cushion
	Throw
	serving Boards
	Sheer Tablecloth
	Linen Tablecloth
	Wallpaper
_	
.2	Designs
	Home Collection

- Home Collection
 Traveller Collection
 Dancer Collection
- 16 Shibori Leather
- 25 Base Cloth







Shibori

Shibori fabrics have been used by some of Australia's top designers in both fashion and interiors and their hand dyed leathers and commercial fabrics and wallpapers can be seen in venues all over the world.

Shibori textiles has a range of commercial and upholstery fabrics produced by textile company "Sparkk" and easy to hang wallpaper range by "Milton and King". They have also collaborated on a collection of prints with Design company "The Designer Boys".

With the flexibility of their trade, Shibori has collaborated on some unique projects including; a full scale dip dyed hot air balloon, fabric inlayed surf boards made by McTavish and Sibella Court as well as a home wares range with Lee Mathews.















Cushions

Shibori cushions are the perfect addition to any space.

They come in a whide range of sizes (40cmx40cm, 35cmx50cm,50cmx50cm, 60cmx60cm & 80cmx80cm) and commercial grade fabrics (linen, linen look and velvet)


For the full range of Shibori cushions refer to the pattern section of the catalogue.











Throws

Cozy and luxurious this velvet feel throws are ideal for bedding and lounging.

Commercial grade, high performance fabric backed with denim are machine washable and highly durable.


138 x 230cm


























Serving Board

Wooden serving boards are a great way to present your delicious treats and are a unique addition to you kitchen.

100% Australian Made in solid wood.



Stalagtite Charcoal diamond Size 400mm x 250mm



Star Indigo diamond Size 400mm x 250mm



Stalagtite Charcoal Fishscale Size 340mm x 265mm



Stalagtite Charcoal Fishscale Size 340mm x 265mm



Stalagtite Charcoal Small scale Size 280mm x 260mm



Sheer Tablecloth

Add a touch of shibori to your table with this sheer commercial grade, high performance fabric tablecloth.

Machine washable and available in a range of colour and patterns.

139 x 220cm

For the full range of Shibori sheer tablecloth refer to the pattern section of the catalogue.












Linen Tablecloth

One of a kind hand dyed tablecloth

100% linen 135 x 245cm

Made in Australia
























Wallpaper

Shibori wallpaper is produced in Australia and is suitable for residential and commercial applications.

Available in 10 metre rolls and extra wide widths printed to measure.

All designs are available in wallpaper and are customisable.


















Home Ву










2069 Origami Repeat: Horiz: 52.59 cm / Vert: 30.81 cm Creases and folds and memories painted, Origami's overlaying pattern creates depth that is captivating to the eye. Similar to it's sister design "Star", Origami uses less white space making it ideal for upholitery in heavy traffic areas.



2068 Bricks


Repeat Horiz: 31.50 cm / Vert: 41.80 cm Bricks blends contemporary shibori with traditional Japanese technique. The strong linen texture is enticing to the sense of touch, set in a neutral colour, Bricks is unobtrusive to




2067 Angel

Repeat Horiz 62.98 cm / Vert 104.02 cm A two colour organic design creates a subtle sophistication with versatility fitting in any space from casual to formal baliroom.





2059 Lucy Diamonds Repeat: Horiz 46.28 cm / Vert 23.54 cm Velvery, lush diamonds overlaying each other with delicious colour combinations. This print celebrates the beauty of Itajime shibori dyeing.






Traveller


Ву


2187 Bhutan

Repeat Horiz 68.50 cm / Vert 46.38 cm

The Traveller collection from Sydney design duo Shibori is full of beautiful designs reminiscent of a different time and place, of faded grandeur and foreign lands.









Repeat Horiz: 1713 cm / Vert: 1709 cm

2181 Goa Repeat: Horiz: 17:13 cm / Vert: 17:0
The Traveller collection from Sydney design duo Shibori is full of beautiful designs reminiscent of a different time and place, of faded grandeur and foreign lands.











Dancer

shibori















2285 Choreograph Reverse Repeat: Horiz: 45.67 cm / Vert: 32.97 Choreograph Reverse is composed of 3 different advanced shibori stitch techniques performing as one, well balanced design.

2284 Choreograph Repeat: Horiz: 22.83 cm / Vert: 12.67 cm
Choreograph is composed of 3 different advanced shibori stitch techniques performing as one, well balanced design.





















Shibori hand dyed leather

The ancient Japanese art of shibori is a resist dyeing technique commonly used to decorate silk or cotton found on Obi's and Kimonos. Shibori textiles have put their own spin on the technique applying it to different materials such as upholstery fabrics, wood, wallpaper and leather.

While modern technology assists design applications to material printing transfer, all shibori leather stays with the tradition and is hand dyed using Shibori textile's own methods.

Leather is a unique material as it is not like fabric with a warp and a weft but rather has the quality of skin and each individual skin grabs the dye giving more definition and room for spontaneous design.



Manufacture


All shibori leather is dyed in house from their Sydney studio using the highest quality Italian leather.

The leather used is suitable for medium to high traffic areas and is marine grade quality used in both commercial and residential applications.

Shibori's techniques are original and not done anywhere else.

Each piece is touched by hand, making no two pieces the same. The leathers are waxed and sealed with a solution to waterproof and protect the leather leaving it lustrous and soft.





Sustainability

The environmental effects of dyeing leather is a great concern and as a result many factors have been put in place to produce an environmentally sustainable product.

Shibori do not use the tanning process to colour the leather but use their own dye recipe. These dyes are considered low impact and we use them in a method known as exhausting the dye bath

(therefore all the dye is used till the water is clear). The key mordents or setting agents used are naturally derived products.

All shibori resists by Shibori textiles are bound by hand using reused cellulose fibres. All dyeing is conducted with rain water which is not only saving a

valuable resource but also provides a neutral pH level eliminating the need for extra chemicals to aid dyeing.

Marketability

While there are many beautiful leathers on the market there is really nothing like texture and organic bleed found on Shibori leather.

Shibori leather is made to order with a 3-6 week turnaround and can be purchased directly or through agents worldwide. Custom colours are available and each piece can be customized to your individual project.

Shibori leather has been used in many commercial spaces, perhaps the largest being Elements of Byron Resort, Byron Bay with over 300 rooms and an individual hand dyed leather head board in each, measuring over 2400 x 1500mm. Using pre sampled colours to a specific story for each part of the resort.













Functionality


Shibori textiles leather has been used in almost every imaginable application. There is nowhere leather can't go.

Beginning with furnishing and various hotel uses such as sofas, bed heads, cushions, floor covers and upholstery of DJ Boxes and menu covers to covered concrete pots, and leather bowls. There is also various apparel items, leather bags, shoes, fashion items, luggage and table placemats as well as the coolest dog colars.

There is really nowhere Shibori leather hasn't been used!










Mystic Charcoal



Stripe Charcoal




Star Charcoal



Silhouette Charcoal



Watercolor Charcoal




Eclipse Charcoal














Stripe Indigo

Abstract Indigo

Silhouette Indigo








Starburst Indigo

Star Indigo


Mystic indigo






Eclipse Indigo

Watercolor Indigo
































Watercolor Peach


Watercolor Berry











TECHNICAL SPECIFICATION

Shibori leather is available in two upholstery grade leather base

Marseille Leather

Marseilleis hand bound and dyed corrected grain bovine leather with a pigmented finish and a embossed effect. Suitable for High traffic residential and commercial applications.

Average hide size: 4.6sqm

Available in custom colours and designs.

Cannes Leather

Cannes is hand bound and dyed semi aniline bovine leather and is produced on the best quality European bides

A smooth and silky look and has a soft waxy tough. Cannes is very durable, which is good for high Traffic residential and commercial applications.

Average hide size 4.8sqm

Available in custom colours and designs.

Distinguishing features of genuine leather

This leather is from genuine cattle hide. During its life the animal may have been in contact with barbed wire, bushes or the horns of other animals. These encounters may leave scars and scratches that have healed naturally. They do not detract from the wearing qualities of the leather, in fact they enhance its appearance as they are the proof marks of genuine leather.

Leather Care



Do not dry clean



Do not machine wash

Do not use detergents, solvents, abrasives, leather cleaners or suede cleaners.

Do not dry clean or machine wash.

Protect from direct sunlight and heat sources, both direct and through heating vents.

Avoid sharp objects.

To clean leathers: Use only a white damp cloth that is colourfast.

Vacuum regularly with the soft brush attachment of the vacuum cleaner to remove dust and grit, then wipe with a soft, colour-fast cloth dampened with plain water. This should be done as often as necessary or at least every 2-3 weeks.

Special Note: The salts and body oils which occur naturally in human skin can damage the surface of leather if left uncleaned for lengthy periods. In warm or humid weather it is important that leather be wiped over as often as weekly, particularly if the leather has become damp with perspiration or deposits of body oils are visible on areas such as head rests.

Ensure non colourfast clothing does not come into contact with light coloured leathers.

Always clean along any creases that have developed in the leather and pay any particular attention to areas that come in contact with the skin as head-rests, arm-pads or seat cushions.

Deterioration due to incorrect or inadequate maintenance cannot be considered a fault in the leather and claims due to this will not be entertained.











Shibori offers a wide variety of commercial grade, high performace fabrics and wallcoverings suitable for commercial and residential use. Available in a variety of designs, colours and substrates Shibori fabrics offers a design solution for every application.









Fabrics





Weight: 480 g/m² Composition: 100% Polyester Printed Width: 138cm Usage: Residential & Commercial drapery, upholstery, accessories & cushions

Performance

Fire Rating: AS 1530.3 Yes Abrasion: 45,000 AS 2001.2.25.2 – 2006

Pilling Resistance: 3-4

IWS 1 6-1996

Care Instructions

Gentle Machine Wash | Iron on Low heat | Do not bleach | Line dry in the shade

Protect from direct sunlight | Regularly vacuum on low suction, using the upholstery attachment.

Maintenance

Spot Cleaning -

Test cleaning method on hidden section first

Treat spills and stains as soon as possible: Gently remove soil or mop any liquids from the surface of the

Do not scrub. Apply dry cleaning solvent strictly according to instructions. Do not saturate the fabric with water or other cleaning liquids.

If further cleaning is needed, professional use of dry-cleaning or hot water extraction machines is recommended.

Recommendations

Do not brush fabric or use a vacuum attachment with a rotary brush. Do not saturate the fabric with water or cleaning liquids.
Only use upholstery detergents.







Composition: 92% Polyester 8% Linen Printed Width: 140cm Weight: 442 g/m2 **Description**: The look and feel of linen upholstery with the performance and durability of polyester.

Performance

Abrasion: AS 2001.2.25.2 – 2006	50,000	Colourfastness To Light : ISO-BO2-1994 (CMYK)	5 - (6-7)
Fire Rating: AS 1530.3	No	Colourfastness to Washing: AS 2001.4.15-2006	5
Pilling Resistance: IWS 1 6-1996	4	Colourfastness to Rubbing: (AS2687 - 1997 Class 4)	Wet 4-5, Dry 5

Care Instructions

Machine Washable | Iron on Medium Heat | Do Not Bleach | Line Dry

Protect from direct sunlight | Regularly vacuum on low suction, using the upholstery attachment.

Maintenance

Spot cleaning -

Test cleaning method on hidden section first

Treat spills and stains as soon as possible: Gently remove soil or mop any liquids from the sur face of the fabric.

Do not scrub. Apply dry cleaning solvent strictly according to instructions.

Do not saturate the fabric with water or other cleaning liquids.

If further cleaning is needed, professional use of dry-cleaning or hot water extraction machines is recommended.

Recommendations -

Only use upholstery detergents. Dry in shade away from direct heat or sunlight

spec sheet: FRITZ





Composition: 100% Polyester Printed Width: 140cm Weight: 238 g/m2 Description: Crisp white linen-like handle for drapery, bedspreads and occasional outdoor use.

Performance

5 - (6-7) Colourfastness To Light: Fire Rating: AS 1530.3 Yes

ISO-BO2-1994 (CMYK)

2 Colourfastness to Washing: 5 Pilling Resistance:

AS 2001.4.15-2006

Colourfastness to Rubbing: Wet 4-5, Dry 5

(AS2687 - 1997 Class 4)

Care Instructions

Machine Washable | Iron on Medium Heat | Do Not Bleach | Line Dry

Protect from direct sunlight

Maintenance

Spot cleaning -

Test cleaning method on hidden section first

Treat spills and stains as soon as possible: Gently remove soil or mop any liquids from the sur face of the fabric.

Do not scrub. Apply dry cleaning solvent strictly according to instructions.

Do not saturate the fabric with water or other cleaning liquids.

If further cleaning is needed, professional use of dry-cleaning is recommended.

Recommendations -

Only use upholstery detergents.

Dry in shade away from direct heat or sunlight







Composition: 100% Polyester Printed Width: 140cm Weight: 390 g/m2

Description: Soft and luxurious high performance felted polyester.

Performance

Colourfastness To Light: ISO-BO2-1994 (CMYK) 90,000 5 - (6-7) Abrasion: AS 2001.2.25.2 - 2006

Colourfastness to Washing: 5 Fire Rating: Yes AS 2001.4.15-2006 AS 1530.3

Colourfastness to Rubbing: Wet 4-5, Dry 5 Pilling Resistance: 5 IWS 1 6-1996 (AS2687 - 1997 Class 4)

Care Instructions

Machine Washable | Iron on Medium Heat | Do Not Bleach | Line Dry

Protect from direct sunlight | Regularly vacuum on low suction, using the upholstery attachment.

Maintenance

Spot cleaning -

Test cleaning method on hidden section first

Treat spills and stains as soon as possible: Gently remove soil or mop any liquids from the sur face of the fabric.

Do not scrub. Apply dry cleaning solvent strictly according to instructions.

Do not saturate the fabric with water or other cleaning liquids.

If further cleaning is needed, professional use of dry-cleaning or hot water extraction machines is recommended.

Recommendations -

Only use upholstery detergents. Dry in shade away from direct heat or sunlight











Composition: 100% Polyester Printed Width: 140cm Weight: 554 g/m2

Description: The look and feel of linen upholstery, in 100% polyester for increased performance and occassional outdoor

Performance

Colourfastness To Light: 5 - (6-7) ISO-BO2-1994 (CMYK)

100,000 Abrasion:

Colourfastness to Washing: 5 AS 2001.2.25.2 - 2006 AS 2001.4.15-2006

Fire Rating: AS 1530.3 Yes Wet 4-5, Dry 5 Colourfastness to Rubbing:

(AS2687 - 1997 Class 4)

Care Instructions

Machine Washable | Iron on Medium Heat | Do Not Bleach | Line Dry

Protect from direct sunlight | Regularly vacuum on low suction, using the upholstery attachment.

Maintenance

Spot cleaning -

Test cleaning method on hidden section first

Treat spills and stains as soon as possible: Gently remove soil or mop any liquids from the sur face of the fabric.

Do not scrub. Apply dry cleaning solvent strictly according to instructions.

Do not saturate the fabric with water or other cleaning liquids.

If further cleaning is needed, professional use of dry-cleaning or hot water extraction machines is recommended.

Recommendations -

Only use upholstery detergents. Dry in shade away from direct heat or sunlight







Composition: 100% Polyester Printed Width: 140cm **Weight**: 190 g/m² **Description**: Contemporary Bouclé sheer drapery suitable for occasional outdoor use.

Performance

Colourfastness To Light: ISO-BO2-1994 (CMYK) 5 - (6-7) Fire Rating: Yes AS 1530.3

Colourfastness to Washing:

AS 2001.4.15-2006

Colourfastness to Rubbing: Wet 4-5, Dry 5 (AS2687 - 1997 Class 4)

Care Instructions

Machine Washable | Iron on Medium Heat | Do Not Bleach | Line Dry

Protect from direct sunlight

Maintenance

Spot cleaning -

Test cleaning method on hidden section first

Treat spills and stains as soon as possible: Gently remove soil or mop any liquids from the sur face of the fabric.

Do not scrub. Apply dry cleaning solvent strictly according to instructions.

Do not saturate the fabric with water or other cleaning liquids.

If further cleaning is needed, professional use of dry-cleaning or hot water extraction machines is recommended.

Recommendations -

Only use upholstery detergents.

Dry in shade away from direct heat or sunlight

spec sheet: SAVANNAH




















Composition: Vinyl Face Weight: 616g/m² Printed Width: 133cm

Description: Commercial vinyl wallcovering with a light texture. Printed using waterbased latex ink technology.

Performance

Mould/Mildew: Yes Fire Rating: **Environmental:** Yes CA-1350 Air Quality Standards AS/NZS 3837-1998 Group 2 ASTM-G21 ASTM-E84 Tunnel Test Class A

Construction:

Ultra-white embossed vinyl face with laminated fabric backing. Backing is poly-cotton woven or polyester/pulp non-woven depending on face emboss.

Maintenance:

Laminates are available for application at the installation phase which can provide additional protection.


Do not scrub wallpapers with abrasive materials as this could cause the print to be lifted.

Listed below are the solutions that can be used for cleaning.

- 1. Clear warm water.
- 2. Mild soapy warm water, then rinse.
- 3. Light household cleaners, warm water, then rinse.
- 4. Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.
- 5. A cloth or towel should only be used to pat dry (not rub). Do not use manmade (i.e. polyester) sponges.

spec sheet: VERNAZZA





Weight: 616q/m² Composition: Vinyl Face Printed Width: 133cm

Description: Commercial vinyl wallcovering with a heavy texture. Printed using waterbased latex ink technology.

Performance

Mould/Mildew: **Environmental:** Yes Fire Rating: Yes Yes AS/NZS 3837-1998 ASTM-G21 CA-1350 Air Quality Standards ASTM-E84 Tunnel Test Class A

Construction:

Ultra-white embossed vinyl face with laminated fabric backing. Backing is poly-cotton woven or polyester/pulp non-woven depending on face emboss.


MaiNtenance:

Laminates are available for application at the installation phase which can provide additional protection.

Do not scrub wallpapers with abrasive materials as this could cause the print to be lifted.

Listed below are the solutions that can be used for cleaning.

- 1. Clear warm water.
- 2. Mild soapy warm water, then rinse.
- 3. Light household cleaners, warm water, then rinse.
- 4. Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.
- 5. A cloth or towel should only be used to PAT dry (not rub). Do not use manmade (i.e. polyester) sponges.













Composition: Vinyl Face Printed Width: 136cm Weight: 616g/m²

Description: Commercial vinyl wallcovering with a pearlescent finish. Printed using waterbased latex ink technology.

Performance

Mould/Mildew: Yes Fire Rating: Yes Environmental: Yes CA-1350 Air Quality Standards AS/NZS 3837-1998 ASTM-G21 ASTM-E84 Tunnel Test Class A

Construction:

Ultra-white embossed vinyl face with laminated fabric backing. Backing is poly-cotton woven or polyester/pulp non-woven depending on face emboss.

Maintenance:

Laminates are available for application at the installation phase which can provide additional protection.

Do not scrub wallpapers with abrasive materials as this could cause the print to be lifted.

Listed below are the solutions that can be used for cleaning.

- 1. Clear warm water.
- 2. Mild soapy warm water, then rinse.
- 3. Light household cleaners, warm water, then rinse.
- 4. Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.
- 5. A cloth or towel should only be used to pat dry (not rub). Do not use manmade (i.e. polyester) sponges.

spec sheet: AMALFI





Composition: Non-woven paper Printed Width: 132cm Weight: 250 g/m²

Description: Wide width, paste-the-wall wallpaper with a low gloss finish.

Performance

Fire Rating: Yes AS/NZS 3837-1998

Maintenance:

Do not scrub wallpapers with abrasive materials as this could cause the print to be lifted.

Listed below are the solutions that can be used for cleaning.

- 1. Clear warm water.
- 2. Mild soapy warm water, then rinse.
- 3. Light household cleaners, warm water, then rinse.
- 4. Do not use solvent based cleaning agents, lacquer thinners, nail polish remover, pine oil or cleaning agents containing bleach, which may cause discoloration over a period of time.
- 5. A cloth or towel should only be used to pat dry (not rub). Do not use manmade (i.e. polyester) sponges.



spec sheet: TORINO